

CHANGZHOU
SHIHUI TRANSMISSION

SHUI世 shihui transmission
辉传动件

常州世辉传动件有限公司
CHANGZHOU CITY SHIHUI TRANSMISS PARTS CO.,LTD

SHUI世 shihui transmission
辉传动件

SHUI

常州世辉传动件有限公司
CHANGZHOU CITY SHIHUI TRANSMISS PARTS CO.,LTD

地址：常州市武进区雪堰镇漕桥村第九组
联系人：朱云（销售经理）
电话：86-0519-85853682
传真：86-0519-85853682
手机：13813676349 13961432521
邮编：213000
网址：www.czshcd.com

ADD:Changzhou City Wujin Xunyan Caoqiao Group nine
Contact:Lad Zhu(sales The manager)
Tel:86-0519-85853682
Fax:86-0519-85853682
Mobile:13913676349 13961432521
P.C:213000
WB:www.czshcd.com



中国·常州



SHUI

SHIHUI TRANSMISSION
常州市世辉传动件有限公司
CHANGZHOU CITY SHIHUI TRANSMISSION PARTS CO., LTD

公司产品



公司简介

开世进取，创辉煌未来！

常州市世辉传动件有限公司坐落于中国美丽的江南水乡-常州,是不锈钢精密铸造和机加工的生产企业,我们采用先进的中、低温蜡模料硅溶胶工艺,专业生产不锈钢、合金钢、碳钢及铝铜合金精密铸件,年产量 300 多吨,我们的主要产品有: 不锈钢外球面轴承座、工程塑料轴承座、锌合金轴承座、冲压轴承座、铸铁轴承座、各类不锈钢精密铸造件。公司占地面积6800余平方米,现拥有200余名高素质的员工。

本公司技术力量雄厚,工艺装备先进,我们生产的不锈钢轴承座,带座轴承等使用性能各项指标都达到国际先进水平,世辉产品从设计到生产、销售都严格按照 GB/T9001-2000- ISO9001: 2000 国际质量管理体系执行,使产品质量得到了严格的控制。

公司的质量目标 是追求卓越,达到产品“零缺陷”,依托科技进步和严格的质量管理、向国内外市场提供优质的产品和优良的服务。

我公司也提供各种高精度的机加工服务,有自己的加工中心,数控车床及其他加工设备,尤其在小批量,多品种的机械零部件方面有着快速的设计、开发、生产能力,欢迎各位新老客户垂询!

Changzhou Shihui transmission parts Co. Ltd is located in the China beautiful Jiangnan Water - Changzhou, is a stainless steel precision casting and machining production enterprises, we adopt, in low temperature wax silicon melt advanced technology, specializing in manufacturing stainless steel, alloy steel, carbon steel and aluminum copper alloy precision castings, annual output of more than 300 tons, the main products we are: stainless steel outer spherical bearing, engineering plastic bearing seat, zinc alloy bearing seat, pressing bearing seat, iron bearing, all kinds of stainless steel precision castings. The company covers an area of 6800 square meters, now has more than 200 high-quality staff.

The company has strong technical strength, advanced technology and equipment, stainless steel ball bearing seat of our production, each index of bearing such as the use of performance have reached the advanced international level, Shihui products from design to production, sales are in strict accordance with the GB/T9001-2000- ISO9001:2000 international quality management system implementation, so that product quality has been strictly controlled.


Company's quality goal is the pursuit of excellence, to achieve "zero defect" products, quality management, rely on progress of science and technology and strict with quality products and excellent service to domestic and foreign markets.

Our company also provides various high precision machining services, processing center, own, CNC lathes and other machining equipment, especially in small batch, there is a rapid design, development, production capacity of mechanical spare parts varieties, welcome to the new and old customer inquiries!



COMPANY PROFILE

SUC200




B-type Seal



L3-type Seal

轴承型号 Bearing No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)									额定 动负荷 Basic Load Rating (kN)	额定 静负荷 Basic Static Load Rating (kN)	重量 Weight (kg)
	d		D	Bi	Be	r	N	M	G	ds	T			
	in	mm												
SUC201		12												0.21
SUC201-8	1/2	15												0.20
SUC202														0.19
SUC202-10	5/8	17	47	31	17	1	12.7	18.3	4.7	M6×0.75	4.0	10.37	5.08	0.19
SUC203														0.18
SUC203-11	11/16	20												0.18
SUC204	3/4	28												0.16
SUC204-12														0.16
SUC205	7/8													0.19
SUC205-14														0.22
SUC205-15	15/16		52	34.1	17	1.5	14.3	19.8	5	M6×0.75	4.2	11.31	6.00	0.20
SUC205-16	1													0.19
SUC206		30												0.31
SUC206-17	1-1/16													0.36
SUC206-18	1-1/8		62	38.1	19	1.5	15.9	22.2	5	M6×0.75	5.0	15.81	8.64	0.34
SUC206-19	1-3/16													0.32
SUC206-20	1-1/4													0.31
SUC207		35												0.46
SUC207-20	1-1/4													0.52
SUC207-21	1-5/16		72	42.9	20	2.0	17.5	25.4	6	M8×1	5.7	20.83	11.68	0.50
SUC207-22	1-3/8													0.48
SUC207-23	1-7/16													0.46
SUC208		40												0.63
SUC208-24	1-1/2		80	49.2	21	2.0	19.0	30.2	8	M8×1	6.3	23.55	13.60	0.68
SUC208-25	1-9/16													0.64
SUC209		45												0.70
SUC209-26	1-5/8		85	49.2	22	2.0	19.0	30.2	8	M8×1	6.3	26.35	15.60	0.78
SUC209-27	1-11/16													0.74
SUC209-28	1-3/4													0.70
SUC210		50												0.78
SUC210-29	1-13/16													0.89
SUC210-30	1-7/8		90	51.6	24	2.0	19.0	32.6	10	M10×1.25	6.6	28.48	18	0.85
SUC210-31	1-15/16													0.80
SUC210-32	2													0.78
SUC211		55												1.07
SUC211-32	2													1.22
SUC211-33	2-1/16		100	55.6	25	2.5	22.2	33.4	10	M10×1.25	7	35.28	22.4	1.18
SUC211-34	2-1/8													1.10
SUC211-35	2-3/16													1.05
SUC212		60												1.52
SUC212-36	2-1/4													1.65
SUC212-37	2-5/16		110	65.1	27	2.5	25.4	39.7	10	M10×1.25	7.6	42.5	26.34	1.55
SUC212-38	2-3/8													1.49
SUC212-39	2-7/16													1.42
SUC213		65												1.80
SUC213-40	2-1/2		120	65.1	28	2.5	25.4	39.7	10	M10×1.25	8.9	46.5	30.4	1.88
SUC213-41	2-9/16													1.80
SUC214		70												2.06
SUC214-42	2-5/8													2.10
SUC214-43	2-11/16		125	74.6	30	2.5	30.2	44.4	12	M12×1.5	8.9	50.15	33.6	2.08
SUC214-44	2-3/4													2.07
SUC215		75												2.19
SUC215-45	2-13/16													2.41
SUC215-46	2-7/8		130	77.8	32	2.5	33.3	44.5	12	M12×1.5	8.9	53.55	37.6	2.31
SUC215-47	2-15/16													2.31
SUC215-48	3													2.11
SUC216		80												2.82
SUC216-50	3-1/8		140	82.6	33	3	33.3	49.3	14	M12×1.5	9.6	58.65	40.8	2.90
SUC217		85												3.46
SUC217-52	3-1/4		150	85.7	35	3	34.1	51.6	14	M12×1.5	10	68	48.8	3.46
SUC218		90												4.53
SUC218-56	3-1/2		160	96	37	3	39.7	56.3	15	M12×1.5	11	77.52	54.56	4.62

SUC300



B-type Seal




L3-type Seal


轴承型号 Bearing No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)									额定 动负荷 Basic Load Rating (kN)	额定 静负荷 Basic Static Load Rating (kN)	重量 Weight (kg)
	d		D	B1	B2	r	N	M	G	ds	T			
	in	mm												
SUC305 SUC305-14 SUC305-15 SUC305-16	7/8 15/16 1	25	62	38	21	2	15	23	6.0	M6×0.75	6.1	14.71	9.21	0.35 0.39 0.37 0.35
SUC306 SUC306-18 SUC306-19	1-1/8 1-3/16	30	72	43	23	2	17	26	6.0	M6×0.75	6.7	18.47	12.66	0.56 0.60 0.54
SUC307 SUC307-20 SUC307-21 SUC307-22	1-1/4 1-5/16 1-3/8	35	80	48	25	2.5	19.0	29	8.0	M8×1	7.4	21.89	14.66	0.75 0.81 0.79 0.75
SUC308 SUC308-24 SUC308-25	1-1/2 1-9/16	40	90	52	27	2.5	19.0	33	10	M10×1.25	8.2	26.65	19.21	1.00 1.07 1.00
SUC309 SUC309-26 SUC309-27 SUC309-28	1-5/8 1-11/16 1-3/4	45	100	57	30	2.5	22	35	10	M10×1.25	9	34.56	25.46	1.26 1.39 1.33 1.28
SUC310 SUC310-30 SUC310-31	1-7/8 1-15/16	50	110	61	32	3	22	39	12	M12×1.5	10	40.44	30.35	1.65 1.75 1.67
SUC311 SUC311-32 SUC311-34 SUC311-35	2 2-1/8 2-3/16	55	120	66	34	3	25	41	12	M12×1.5	10.7	46.79	35.81	2.10 2.30 2.20 2.00
SUC312 SUC312-36 SUC312-38 SUC312-39	2-1/4 2-3/8 2-7/16	60	130	71	36	3.5	26	45	12	M12×1.5	11.5	53.45	41.48	2.50 2.80 2.60 2.60
SUC313 SUC313-40	2-1/2	65	140	75	38	3.5	30	45	12	M12×1.5	12.2	60.64	47.74	3.32 3.46
SUC314 SUC314-44	2-3/4	70	150	78	40	3.5	33	45	12	M12×1.5	13	68.09	54.43	3.90 3.90
SUC315 SUC315-48	3	75	160	82	42	3.5	32	50	14	M14×1.5	13.8	74.05	57.07	4.18 4.33
SUC316 SUC316-50	3-1/8	80	170	86	44	3.5	34	52	14	M14×1.5	14.5	80.38	65.30	5.04 5.10
SUC317 SUC317-52	3-1/4	85	180	96	46	4	40	56	16	M16×1.5	15	86.72	71.58	6.60 6.85
SUC318 SUC318-56	3-1/2	90	190	96	48	4	40	56	16	M16×1.5	15.9	94.13	80.75	7.45 7.56
SUC320 SUC320-64	4	100	215	108	54	4	42	66	18	M18×1.5	18	119.12	100.35	10.18 9.96

不锈钢轴承
Stainless steel bearing

SSB200





SCSB200



轴承型号 Bearing No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)								额定 动负荷 Basic Load Rating (kN)	额定 静负荷 Basic Static Load Rating (kN)	重量 Weight (kg)
	d		D	BI	Be	r	N	M	G	ds			
	in	mm											
SSB201 SSB201-8 SSB202 SSB202-10 SSB203 SSB203-11	1/2 5/8 11/16	12 15 17	40	22	12	1	6	16	4.5	M5×0.8	7.82	3.58	0.10 0.10 0.09 0.09 0.08 0.08
SSB204 SSB204-12	 3/4	20	47	25	14	1.5	7	18	4.5	M6×0.75	10.37	5.04	0.12 0.13
SSB205 SSB205-14 SSB205-15 SSB205-16	 7/8 15/16 1	25	52	27	15	1.5	7.5	19.5	5	M6×0.75	11.31	5.97	0.17 0.18 0.17 0.16
SSB206 SSB206-17 SSB206-18 SSB206-19 SSB206-20	 1-1/16 1-1/8 1-3/16 1-1/4	30	62	30	16	1.5	8	22	5.5	M6×0.75	15.73	8.64	0.25 0.28 0.26 0.25 0.23
SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	 1-1/4 1-5/16 1-3/8 1-7/16	35	72	32	17	2	8.5	23.5	6	M8×1	20.83	11.68	0.37 0.41 0.39 0.37 0.35
SSB208 SSB208-24 SSB208-25	 1-1/2 1-9/16	40	80	34	18	2	9	25	8	M8×1	23.55	13.6	0.45 0.48 0.45
SSB209 SSB209-26 SSB209-27 SSB209-28	 1-5/8 1-11/16 1-3/4	45	85	41.2	19	2	10.2	31	8	M8×1	26.44	19.56	0.8
SSB210 SSB210-29 SSB210-30 SSB210-31 SSB210-32	 1-13/16 1-7/8 1-15/16 2	50	90	43.5	20	2	10.9	32.6	9	M8×1	30.01	22.53	0.87
SSB211 SSB211-32 SSB211-33 SSB211-34 SSB211-35	 2 2-1/16 2-1/8 2-3/16	55	100	45.3	21	2.5	11.8	33.5	10	M10×1.25	32.39	24	1.1
SSB212 SSB212-36 SSB212-37 SSB212-38 SSB212-39	 2-1/4 2-5/16 2-3/8 2-7/16	60	110	53.7	22	2.5	14.9	38.8	10	M10×1.25	35.28	26.18	1.3

不锈钢带座轴承
Stainless steel bearing with seat



SUCP200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		h	a	e	b	S ₁	S ₂	g	W	S	B			
	in	mm													
SUCP201	1/2	12	33.3	127	96	36	13	19	13	60	12.7	31	SUC201	SP203	0.75
SUCP201-8		15											SUC201-8		
SUCP202		17											SUC202		
SUCP202-10		17											SUC202-10		
SUCP203	5/8	17	33.3	127	95	38	13	19	14	65	12.7	31	SUC203	SP204	0.73
SUCP203-11		17											SUC203-11		
SUCP204		20											SUC204		
SUCP204-12		20											SUC204-12		
SUCP205	7/8	25	36.5	140	105	38	13	19	15	71	14.3	34.1	SUC205	SP205	0.91
SUCP205-14		25											SUC205-14		
SUCP205-15		25											SUC205-15		
SUCP205-16		25											SUC205-16		
SUCP206	1-1/16	30	42.9	165	121	48	17	21	17	83	15.9	38.1	SUC206	SP206	1.32
SUCP206-17		30											SUC206-17		
SUCP206-18		30											SUC206-18		
SUCP206-19		30											SUC206-19		
SUCP206-20	1-3/16	30	47.6	167	127	48	17	21	18	93	17.5	42.9	SUC206-20	SP207	1.72
SUCP207		35											SUC207		
SUCP207-20		35											SUC207-20		
SUCP207-21		35											SUC207-21		
SUCP207-22	1-5/16	35	49.2	184	137	54	17	23	18	98	19.0	49.2	SUC207-22	SP208	2.14
SUCP207-23		35											SUC207-23		
SUCP208		40											SUC208		
SUCP208-24		40											SUC208-24		
SUCP208-25	1-1/2	40	54.0	190	146	54	17	23	20	106	19.0	49.2	SUC208-25	SP209	2.45
SUCP209		45											SUC209		
SUCP209-26		45											SUC209-26		
SUCP209-27		45											SUC209-27		
SUCP209-28	1-11/16	45	57.2	206	159	60	20	25	21	114	19.0	51.6	SUC209-28	SP210	3.10
SUCP210		50											SUC210		
SUCP210-29		50											SUC210-29		
SUCP210-30		50											SUC210-30		
SUCP210-31	1-7/8	50	63.5	219	171	60	20	25	23	126	22.2	55.6	SUC210-31	SP211	3.85
SUCP210-32		50											SUC210-32		
SUCP211		55											SUC211		
SUCP211-32		55											SUC211-32		
SUCP211-33	2-1/16	55	69.8	241	184	70	20	25	25	138	25.4	65.1	SUC211-33	SP212	5.10
SUCP211-34		55											SUC211-34		
SUCP211-35		55											SUC211-35		
SUCP212		60											SUC212		
SUCP212-36	2-5/16	60	76.2	264	203	70	25	30	27	151	25.4	65.1	SUC212-36	SP213	6.26
SUCP212-37		60											SUC212-37		
SUCP212-38		60											SUC212-38		
SUCP212-39		60											SUC212-39		
SUCP213	2-7/16	65	79.4	266	210	72	25	30	27	157	30.2	74.6	SUC213	SP214	6.90
SUCP213-40		70											SUC213-40		
SUCP213-41		70											SUC213-41		
SUCP214		75											SUC214		
SUCP214-42	2-5/8	70	82.6	275	217	74	25	30	28	163	33.3	77.8	SUC214-42	SP215	7.62
SUCP214-43		75											SUC214-43		
SUCP214-44		75											SUC214-44		
SUCP215		80											SUC215		
SUCP215-45	2-13/16	75	88.9	292	232	78	25	30	30	175	33.3	82.6	SUC215-45	SP216	9.03
SUCP215-46		80											SUC215-46		
SUCP215-47		80											SUC215-47		
SUCP215-48		80											SUC215-48		
SUCP216	3-1/8	80	95.2	310	247	83	25	30	32	187	34.1	85.7	SUC216	SP217	11.28
SUCP216-50		85											SUC216-50		
SUCP217		85											SUC217		
SUCP217-52		85											SUC217-52		
SUCP218	3-1/4	90	101.6	327	262	88	27	36	33	200	39.7	96	SUC218	SP218	13.45
SUCP218-56		90											SUC218-56		

不锈钢带座轴承
Stainless steel bearing with seat



SUCP300



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴 承 座 Housing No.	重量 Weight (kg)
	d		h	a	e	b	S ₁	S ₂	g	W	S	B			
	in	mm													
SUCP305 SUCP305-14 SUCP305-15 SUCP305-16	7/8 15/16 1	25	45	175	132	45	17	20	15	85	15	38.0	SUC305 SUC305-14 SUC305-15 SUC305-16	SP305	1.52
SUCP306 SUCP306-18 SUCP306-19	1-1/8 1-3/16	30	50	180	140	50	17	20	18	95	17	43	SUC306 SUC306-18 SUC306-19	SP306	1.92
SUCP307 SUCP307-20 SUCP307-21 SUCP307-22	1-1/4 1-5/16 1-3/8	35	56	210	160	56	17	25	20	106	19.0	48	SUC307 SUC307-20 SUC307-21 SUC307-22	SP307	2.66
SUCP308 SUCP308-24 SUCP308-25	1-1/2 1-9/16	40	60	220	170	60	17	27	22	116	19.0	52	SUC308 SUC308-24 SUC308-25	SP308	3.50
SUCP309 SUCP309-26 SUCP309-27 SUCP309-28	1-5/8 1-11/16 1-3/4	45	67	245	190	67	20	30	24	129	22	57	SUC309 SUC309-26 SUC309-27 SUC309-28	SP309	4.68
SUCP310 SUCP310-30 SUCP310-31	1-7/8 1-15/16	50	75	275	212	75	20	35	27	143	22	61	SUC310 SUC310-30 SUC310-31	SP310	6.44
SUCP311 SUCP311-32 SUCP311-34 SUCP311-35	2 2-1/8 2-3/16	55	80	310	236	80	20	38	30	154	25	66	SUC311 SUC311-32 SUC311-34 SUC311-35	SP311	7.69
SUCP312 SUCP312-36 SUCP312-38 SUCP312-39	2-1/4 2-3/8 2-7/16	60	85	330	250	85	25	38	32	165	26	71	SUC312 SUC312-36 SUC312-38 SUC312-39	SP312	9.40
SUCP313 SUCP313-40	2-1/2	65	90	340	260	90	25	38	33	176	30	75	SUC313 SUC313-40	SP313	11.70
SUCP314 SUCP314-44	2-3/4	70	95	360	280	90	27	40	35	187	33	78	SUC314 SUC314-44	SP314	13.40
SUCP315 SUCP315-48	3	75	100	380	290	100	27	40	35	198	32	82	SUC315 SUC315-48	SP315	15.40
SUCP316 SUCP316-50	3-1/8	80	106	400	300	110	27	40	40	210	34	86	SUC316 SUC316-50	SP316	18.95
SUCP317 SUCP317-52	3-1/4	85	112	420	320	110	33	45	40	220	40	96	SUC317 SUC317-52	SP317	21.50
SUCP318 SUCP318-56	3-1/2	90	118	430	330	110	33	45	45	235	40	96	SUC318 SUC318-56	SP318	24.70
SUCP319 SUCP319-60	3-3/4	95	125	470	360	120	36	50	45	250	41	103	SUC319 SUC319-60	SP319	29.75
SUCP320 SUCP320-64	4	100	140	490	380	120	36	50	50	275	42	108	SUC320 SUC320-64	SP320	37.28
SUCP321	/	105	140	490	380	120	36	50	50	280	44	112	SUC321	SP321	37.30
SUCP322	/	110	150	520	400	140	40	55	55	300	46	117	SUC322	SP322	46.50
SUCP324	/	120	160	570	450	140	40	55	65	320	51	126	SUC324	SP324	57.70
SUCP326	/	130	180	600	480	140	40	55	75	355	54	135	SUC326	SP326	75.30
SUCP328	/	140	200	620	500	140	40	55	75	390	59	145	SUC328	SP328	92.90

不锈钢带座轴承
Stainless steel bearing with seat



SUCPH200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		h	a	e	b	g	W	F	t	S	B			
	in	mm													
SUCPH201 SUCPH201-8 SUCPH202 SUCPH202-10 SUCPH203 SUCPH203-11	1/2 5/8 11/16	12 15 17	70	125	95	38	13	19	13	97	12.7	31	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	5PH203	1.00
SUCPH204 SUCPH204-12	3/4	20											SUC204 SUC204-12		
SUCPH205 SUCPH205-14 SUCPH205-15 SUCPH205-16	7/8 15/16 1	25											SUC205 SUC205-14 SUC205-15 SUC205-16		
SUCPH206 SUCPH206-17 SUCPH206-18 SUCPH206-19 SUCPH206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	5PH206	1.89										
SUCPH207 SUCPH207-20 SUCPH207-21 SUCPH207-22 SUCPH207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23			5PH207	2.39								
SUCPH208 SUCPH208-24 SUCPH208-25	1-1/2 1-9/16	40	SUC208 SUC208-24 SUC208-25					5PH208	2.79						
SUCPH209 SUCPH209-26 SUCPH209-27 SUCPH209-28	1-5/8 1-11/16 1-3/4	45	SUC209 SUC209-26 SUC209-27 SUC209-28	5PH209	3.18										
SUCPH210 SUCPH210-29 SUCPH210-30 SUCPH210-31 SUCPH210-32	1-13/16 1-7/8 1-15/16 2	50	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32			5PH210	3.68								
SUCPH211 SUCPH211-32 SUCPH211-33 SUCPH211-34 SUCPH211-35	2 2-1/16 2-1/8 2-3/16	55	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35					5PH211	4.94						
SUCPH212 SUCPH212-36 SUCPH212-37 SUCPH212-38 SUCPH212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	5PH212	6.38										
SUCPH213 SUCPH213-40 SUCPH213-41	2-1/2 2-9/16	65	SUC213 SUC213-40 SUC213-41			5PH213	7.42								
SUCPH214 SUCPH214-42 SUCPH214-43 SUCPH214-44	2-5/8 2-11/16 2-3/4	70	SUC214 SUC214-42 SUC214-43 SUC214-44					5PH214	8.22						
SUCPH215 SUCPH215-45 SUCPH215-46 SUCPH215-47 SUCPH215-48	2-13/16 2-7/8 2-15/16 3	75	SUC215 SUC215-45 SUC215-46 SUC215-47 SUC215-48	5PH215	9.63										
SUCPH216 SUCPH216-50	3-1/8	80	SUC216 SUC216-50			5PH216	11.02								

不锈钢带座轴承
Stainless steel bearing with seat



SUCF200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)								轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	g	L	N	E	S			
	in	mm											
SUCF201 SUCF201-8 SUCF202 SUCF202-10 SUCF203 SUCF203-11	1/2 5/8 11/16	12 15 17	86	64	15	11	25.5	12	33.3	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SF203	1.00
SUCF204 SUCF204-12 SUCF205 SUCF205-14 SUCF205-15 SUCF205-16	3/4 7/8 15/16 1	20 25	86 95	64 70	15 16	12 14	25.5 27	12 12	33.3 35.8	12.7 14.3	SUC204 SUC204-12 SUC205 SUC205-14 SUC205-15 SUC205-16	SF204 SF205	0.95 1.20
SUCF206 SUCF206-17 SUCF206-18 SUCF206-19 SUCF206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	108	83	18	14.3	31	12	40.2	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SF206	1.89
SUCF207 SUCF207-20 SUCF207-21 SUCF207-22 SUCF207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	117	92	19	15.5	34	14	44.4	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SF207	2.39
SUCF208 SUCF208-24 SUCF208-25	1-1/2 1-9/16	40	130	102	21	15.5	36	16	51.2	19.0	SUC208 SUC208-24 SUC208-25	SF208	2.79
SUCF209 SUCF209-26 SUCF209-27 SUCF209-28	1-5/8 1-11/16 1-3/4	45	137	105	22	17.5	38	16	52.2	19.0	SUC209 SUC209-26 SUC209-27 SUC209-28	SF209	3.18
SUCF210 SUCF210-29 SUCF210-30 SUCF210-31 SUCF210-32	1-13/16 1-7/8 1-15/16 2	50	143	111	22	17.5	40	16	54.6	19.0	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SF210	3.68
SUCF211 SUCF211-32 SUCF211-33 SUCF211-34 SUCF211-35	2 2-1/16 2-1/8 2-3/16	55	162	130	25	19.5	43	19	58.4	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SF211	3.40
SUCF212 SUCF212-36 SUCF212-37 SUCF212-38 SUCF212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	175	143	29	19.5	48	19	68.7	25.4	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SF212	4.17
SUCF213 SUCF213-40 SUCF213-41	2-1/2 2-9/16	65	187	149	30	23	50	19	69.7	25.4	SUC213 SUC213-40 SUC213-41	SF213	5.32
SUCF214 SUCF214-42 SUCF214-43 SUCF214-44	2-5/8 2-11/16 2-3/4	70	193	152	31	23	54	19	75.4	30.2	SUC214 SUC214-42 SUC214-43 SUC214-44	SF214	5.92
SUCF215 SUCF215-45 SUCF215-46 SUCF215-47 SUCF215-48	2-13/16 2-7/8 2-15/16 3	75	200	159	34	23	56	19	78.5	33.3	SUC215 SUC215-45 SUC215-46 SUC215-47 SUC215-48	SF215	6.65
SUCF216 SUCF216-50	3-1/8	80	208	165	34	24	58	23	83.3	33.3	SUC216 SUC216-50	SF216	7.89
SUCF217 SUCF217-52	3-1/4	85	220	175	36	25	63	23	87.6	34.1	SUC217 SUC217-52	SF217	9.18
SUCF218 SUCF218-56	3-1/2	90	235	187	40	26	68	23	96.3	39.7	SUC218 SUC218-56	SF218	11.20

不锈钢带座轴承
Stainless steel bearing with seat


SUCF300



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)								轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	g	L	N	E	S			
	in	mm											
SUCF305 SUCF305-14 SUCF305-15 SUCF305-16	7/8 15/16 1	25	110	80	16	13	29	16	39	15	SUC305 SUC305-14 SUC305-15 SUC305-16	SF305	1.52
SUCF306 SUCF306-18 SUCF306-19	1-1/8 1-3/16	30	125	95	18	15	32	16	44	17	SUC306 SUC306-18 SUC306-19	SF306	1.92
SUCF307 SUCF307-20 SUCF307-21 SUCF307-22	1-1/4 1-5/16 1-3/8	35	135	100	20	16	36	19	49	19.0	SUC307 SUC307-20 SUC307-21 SUC307-22	SF307	2.66
SUCF308 SUCF308-24 SUCF308-25	1-1/2 1-9/16	40	150	112	23	17	40	19	56	19.0	SUC308 SUC308-24 SUC308-25	SF308	3.50
SUCF309 SUCF309-26 SUCF309-27 SUCF309-28	1-5/8 1-11/16 1-3/4	45	160	125	25	18	44	19	60	22	SUC309 SUC309-26 SUC309-27 SUC309-28	SF309	4.68
SUCF310 SUCF310-30 SUCF310-31	1-7/8 1-15/16	50	175	132	28	19	48	23	67	22	SUC310 SUC310-30 SUC310-31	SF310	6.44
SUCF311 SUCF311-32 SUCF311-34 SUCF311-35	2 2-1/8 2-3/16	55	185	140	30	20	52	23	71	25	SUC311 SUC311-32 SUC311-34 SUC311-35	SF311	7.69
SUCF312 SUCF312-36 SUCF312-38 SUCF312-39	2-1/4 2-3/8 2-7/16	60	195	150	33	22	56	23	78	26	SUC312 SUC312-36 SUC312-38 SUC312-39	SF312	9.40
SUCF313 SUCF313-40	2-1/2	65	208	166	33	22	58	23	78	30	SUC313 SUC313-40	SF313	11.70
SUCF314 SUCF314-44	2-3/4	70	226	178	36	25	61	25	81	33	SUC314 SUC314-44	SF314	13.40
SUCF315 SUCF315-48	3	75	236	184	39	25	66	25	89	32	SUC315 SUC315-48	SF315	15.40
SUCF316 SUCF316-50	3-1/8	80	250	196	38	27	68	31	90	34	SUC316 SUC316-50	SF316	14.75
SUCF317 SUCF317-52	3-1/4	85	260	204	44	27	74	31	100	40	SUC317 SUC317-52	SF317	17.70
SUCF318 SUCF318-56	3-1/2	90	280	216	44	30	76	35	100	40	SUC318 SUC318-56	SF318	21.10
SUCF319 SUCF319-60	3-3/4	95	290	228	59	30	94	35	121	41	SUC319 SUC319-60	SF319	23.25
SUCF320 SUCF320-64	4	100	310	242	59	32	94	38	125	42	SUC320 SUC320-64	SF320	26.28
SUCF321	/	105	310	242	59	32	94	38	127	44	SUC321	SF321	27.3
SUCF322	/	110	340	266	60	35	96	41	131	46	SUC322	SF322	37.5
SUCF324	/	120	370	290	65	40	110	41	140	51	SUC324	SF324	48.7
SUCF326	/	130	410	320	65	45	115	41	146	54	SUC326	SF326	62.3
SUCF328	/	140	450	350	75	55	125	41	161	59	SUC328	SF328	89.7

不锈钢带座轴承
Stainless steel bearing with seat


SUCFL200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)									轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	b	g	L	N	E	S			
	in	mm												
SUCFL201 SUCFL201-8 SUCFL202 SUCFL202-10 SUCFL203 SUCFL203-11	1/2 5/8 1 1/16	12 15 17	99	76.2	15	57	11	25.5	11.5	33.3	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SFL203	0.56
SUCFL204 SUCFL204-12	3/4	20	113	90	15	60	11	25.5	12	33.3	12.7	SUC204 SUC204-12	SFL204	0.52
SUCFL205 SUCFL205-14 SUCFL205-15 SUCFL205-16	7/8 15/16 1	25 30	130	99	16	68	13	27	16	35.8	14.3	SUC205 SUC205-14 SUC205-15 SUC205-16	SFL205	0.64
SUCFL206 SUCFL206-17 SUCFL206-18 SUCFL206-19 SUCFL206-20	1-1/16 1-1/8 1-3/16 1-1/4	30 35	148	117	18	80	13	31	16	40.2	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SFL206	0.93
SUCFL207 SUCFL207-20 SUCFL207-21 SUCFL207-22 SUCFL207-23	1-1/4 1-5/16 1-3/8 1-7/16	35 40	161	130	19	90	15	34	16	44.4	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SFL207	1.20
SUCFL208 SUCFL208-24 SUCFL208-25	1-1/2 1-9/16	45	175	144	21	100	15	36	16	51.2	19.0	SUC208 SUC208-24 SUC208-25	SFL208	1.59
SUCFL209 SUCFL209-26 SUCFL209-27 SUCFL209-28	1-5/8 1-11/16 1-3/4	50	188	148	22	108	16	38	19	52.2	19.0	SUC209 SUC209-26 SUC209-27 SUC209-28	SFL209	1.84
SUCFL210 SUCFL210-29 SUCFL210-30 SUCFL210-31 SUCFL210-32	1-13/16 1-7/8 1-15/16 2	55	197	157	22	115	16	40	19	54.6	19.0	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SFL210	2.15
SUCFL211 SUCFL211-32 SUCFL211-33 SUCFL211-34 SUCFL211-35	2 2-1/16 2-1/8 2-3/16	60	224	184	25	130	18	43	19	58.4	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SFL211	3.10
SUCFL212 SUCFL212-36 SUCFL212-37 SUCFL212-38 SUCFL212-39	2-1/4 2-5/16 2-3/8 2-7/16	65	250	202	29	140	18	48	23	68.7	25.4	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SFL212	3.99
SUCFL213 SUCFL213-40 SUCFL213-41	2-1/2 2-9/16	70	258	210	30	155	22	50	23	69.7	25.4	SUC213 SUC213-40 SUC213-41	SFL213	4.96
SUCFL214 SUCFL214-42 SUCFL214-43 SUCFL214-44	2-5/8 2-11/16 2-3/4	75	265	216	31	160	22	54	23	75.4	30.2	SUC214 SUC214-42 SUC214-43 SUC214-44	SFL214	5.60
SUCFL215 SUCFL215-45 SUCFL215-46 SUCFL215-47 SUCFL215-48	2-13/16 2-7/8 2-15/16 3	80	275	225	34	165	22	56	23	78.5	33.3	SUC215 SUC215-45 SUC215-46 SUC215-47 SUC215-48	SFL215	6.21
SUCFL216 SUCFL216-50	3-1/8	85	290	233	34	180	22	58	25	83.3	33.3	SUC216 SUC216-50	SFL216	7.69
SUCFL217 SUCFL217-52	3-1/4	90	305	248	36	190	24	63	25	87.6	34.1	SUC217 SUC217-52	SFL217	9.15
SUCFL218 SUCFL218-56	3-1/2	95	320	265	40	205	24	68	25	96.3	39.7	SUC218 SUC218-56	SFL218	10.95

不锈钢带座轴承
Stainless steel bearing with seat



SUCFL300



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)									轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	b	g	L	N	E	S			
	in	mm												
SUCFL305 SUCFL305-14 SUCFL305-15 SUCFL305-16	7/8 15/16 1	25	150	113	16	80	13	29	19	39	15	SUC305 SUC305-14 SUC305-15 SUC305-16	SFL305	1.52
SUCFL306 SUCFL306-18 SUCFL306-19	1-1/8 1-3/16	30	180	134	18	90	15	32	23	44	17	SUC306 SUC306-18 SUC306-19	SFL306	1.92
SUCFL307 SUCFL307-20 SUCFL307-21 SUCFL307-22	1-1/4 1-5/16 1-3/8	35	185	141	20	100	16	36	23	49	19.0	SUC307 SUC307-20 SUC307-21 SUC307-22	SFL307	2.66
SUCFL308 SUCFL308-24 SUCFL308-25	1-1/2 1-9/16	40	200	158	23	112	17	40	23	56	19.0	SUC308 SUC308-24 SUC308-25	SFL308	3.50
SUCFL309 SUCFL309-26 SUCFL309-27 SUCFL309-28	1-5/8 1-11/16 1-3/4	45	230	177	25	125	18	44	25	60	22	SUC309 SUC309-26 SUC309-27 SUC309-28	SFL309	4.68
SUCFL310 SUCFL310-30 SUCFL310-31	1-7/8 1-15/16	50	240	187	28	140	19	48	25	67	22	SUC310 SUC310-30 SUC310-31	SFL310	6.44
SUCFL311 SUCFL311-32 SUCFL311-34 SUCFL311-35	2 2-1/8 2-3/16	55	250	198	30	150	20	52	25	71	25	SUC311 SUC311-32 SUC311-34 SUC311-35	SFL311	7.69
SUCFL312 SUCFL312-36 SUCFL312-38 SUCFL312-39	2-1/4 2-3/8 2-7/16	60	270	212	33	160	22	56	31	78	26	SUC312 SUC312-36 SUC312-38 SUC312-39	SFL312	9.40
SUCFL313 SUCFL313-40	2-1/2	65	295	240	33	175	25	58	31	78	30	SUC313 SUC313-40	SFL313	11.70
SUCFL314 SUCFL314-44	2-3/4	70	315	250	36	185	28	61	35	81	33	SUC314 SUC314-44	SFL314	13.40
SUCFL315 SUCFL315-48	3	75	320	260	39	195	30	66	35	89	32	SUC315 SUC315-48	SFL315	15.40
SUCFL316 SUCFL316-50	3-1/8	80	355	285	38	210	32	68	38	90	34	SUC316 SUC316-50	SFL316	13.75
SUCFL317 SUCFL317-52	3-1/4	85	370	300	44	220	32	74	38	100	40	SUC317 SUC317-52	SFL317	17.20
SUCFL318 SUCFL318-56	3-1/2	90	385	315	44	235	36	76	38	100	40	SUC318 SUC318-56	SFL318	20.10
SUCFL319 SUCFL319-60	3-3/4	95	405	330	59	250	40	94	41	121	41	SUC319 SUC319-60	SFL319	24.75
SUCFL320 SUCFL320-64	4	100	440	360	59	270	40	94	44	125	42	SUC320 SUC320-64	SFL320	27.88
SUCFL321	/	105	440	360	59	270	40	94	44	127	44	SUC321	SFL321	27.30
SUCFL322	/	110	470	390	60	300	42	96	44	131	46	SUC322	SFL322	34.70
SUCFL324	/	120	520	430	65	330	48	110	47	140	51	SUC324	SFL324	48.20
SUCFL326	/	130	550	460	65	360	50	115	47	146	54	SUC326	SFL326	61.30
SUCFL328	/	140	600	600	75	400	60	125	51	161	59	SUC328	SFL328	82.90

不锈钢带座轴承
Stainless steel bearing with seat



SUCPA200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		h	a	e	b	g	W	F	t	S	B			
	in	mm													
SUCPA201 SUCPA201-8 SUCPA202 SUCPA202-10 SUCPA203 SUCPA203-11	1/2 5/8 11/16	12 15 17	30.2	76	52	40	11	62	13	M10	12.7	31	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SPA203	0.60
SUCPA204 SUCPA204-12	3/4	20	30.2	76	52	40	11	62	13	M10	12.7	31	SUC204 SUC204-12	SPA204	0.57
SUCPA205 SUCPA205-14 SUCPA205-15 SUCPA205-16	7/8 15/16 1	25	36.5	84	56	45	12	72	15	M10	14.3	34.1	SUC205 SUC205-14 SUC205-15 SUC205-16	SPA205	0.81
SUCPA206 SUCPA206-17 SUCPA206-18 SUCPA206-19 SUCPA206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	94	66	50	12	84	18	M14	15.9	38.1	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SPA206	1.17
SUCPA207 SUCPA207-20 SUCPA207-21 SUCPA207-22 SUCPA207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	110	80	55	13	95	20	M14	17.5	42.9	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SPA207	1.65
SUCPA208 SUCPA208-24 SUCPA208-25	1-1/2 1-9/16	40	49.2	116	84	58	13	100	20	M14	19.0	49.2	SUC208 SUC208-24 SUC208-25	SPA208	1.90
SUCPA209 SUCPA209-26 SUCPA209-27 SUCPA209-28	1-5/8 1-11/16 1-3/4	45	54.2	120	90	60	13	108	25	M14	19.0	49.2	SUC209 SUC209-26 SUC209-27 SUC209-28	SPA209	2.17
SUCPA210 SUCPA210-29 SUCPA210-30 SUCPA210-31 SUCPA210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	130	94	64	14	116	25	M16	19.0	51.6	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SPA210	2.73
SUCPA211 SUCPA211-32 SUCPA211-33 SUCPA211-34 SUCPA211-35	2 2-1/16 2-1/8 2-3/16	55	63.5	140	104	66	14	125	25	M16	22.2	55.6	SUC211 SUC211-32 SUC211-33 SUC211-34 211-35	SPA211	3.37
SUCPA212 SUCPA212-36 SUCPA212-37 SUCPA212-38 SUCPA212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	69.9	150	114	68	15	138	25	M16	25.4	65.1	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SPA212	4.37
SUCPA213 SUCPA213-40 SUCPA213-41	2-1/2 2-9/16	65	76.2	160	124	70	15	150	25	M16	25.4	65.1	SUC213 SUC213-40 SUC213-41	SPA213	5.36

不锈钢带座轴承
Stainless steel bearing with seat


SUCPW200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		h	a	e	b	g	W	F	t	S	B			
	in	mm													
SUCPW201 SUCPW201-8 SUCPW202 SUCPW202-10 SUCPW203 SUCPW203-11	1/2 5/8 11/16	12 15 17	33.3	65	50.8	32	8	64	13	M8	12.7	31	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SPW203	0.70
SUCPW204 SUCPW204-12	3/4	20	33.3	65	50.8	32	11	64	13	M8	12.7	31	SUC204 SUC204-12	SPW204	0.66
SUCPW205 SUCPW205-14 SUCPW205-15 SUCPW205-16	7/8 15/16 1	25	36.5	70	50.8	36	12	70	13	M10	14.3	34.1	SUC205 SUC205-14 SUC205-15 SUC205-16	SPW205	0.84
SUCPW206 SUCPW206-17 SUCPW206-18 SUCPW206-19 SUCPW206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	98	76.2	38	12	82	16	M10	15.9	38.1	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SPW206	1.48
SUCPW207 SUCPW207-20 SUCPW207-21 SUCPW207-22 SUCPW207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	103	82.6	45	12	93	19	M10	17.5	42.9	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SPW207	1.94
SUCPW208 SUCPW208-24 SUCPW208-25	1-1/2 1-9/16	40	49.2	116	88.9	47	12	99	19	M12	19.0	49.2	SUC208 SUC208-24 SUC208-25	SPW208	2.40
SUCPW209 SUCPW209-26 SUCPW209-27 SUCPW209-28	1-5/8 1-11/16 1-3/4	45	53.9	120	95.3	48	12	107	19	M12	19.0	49.2	SUC209 SUC209-26 SUC209-27 SUC209-28	SPW209	2.70
SUCPW210 SUCPW210-29 SUCPW210-30 SUCPW210-31 SUCPW210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	135	101.6	54	14	115	22	M16	19.0	51.6	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SPW210	3.22

不锈钢带座轴承
Stainless steel bearing with seat


SUCTB200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		h	a	e	b	g	W	F	t	S	B			
	in	mm													
SUCTB201 SUCTB201-8 SUCTB202 SUCTB202-10 SUCTB203 SUCTB203-11	1/2 5/8 11/16	12 15 17	33.3	73	50.8	38	8	65	12.7	3/8-16	12.7	31	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	STB203	0.70
SUCTB204 SUCTB204-12	3/4	20	33.3	73	50.8	38	11	65	12.7	3/8-16	12.7	31	SUC204 SUC204-12	STB204	0.72
SUCTB205 SUCTB205-14 SUCTB205-15 SUCTB205-16	7/8 15/16 1	25	36.5	76	50.8	38	12	71	12.7	3/8-16	14.3	34.1	SUC205 SUC205-14 SUC205-15 SUC205-16	STB205	0.93
SUCTB206 SUCTB206-17 SUCTB206-18 SUCTB206-19 SUCTB206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	102	76.2	38	12	87	16	7/16-14	15.9	38.1	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	STB206	1.41
SUCTB207 SUCTB207-20 SUCTB207-21 SUCTB207-22 SUCTB207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	108	82.6	48	12	95	19	1/2-13	17.5	42.9	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	STB207	1.86
SUCTB208 SUCTB208-24 SUCTB208-25	1-1/2 1-9/16	40	49.2	117	88.9	48	12	100	19	1/2-13	19.0	49.2	SUC208 SUC208-24 SUC208-25	STB208	2.33
SUCTB209 SUCTB209-26 SUCTB209-27 SUCTB209-28	1-5/8 1-11/16 1-3/4	45	54.0	127	95.3	51	12	108	19	1/2-13	19.0	49.2	SUC209 SUC209-26 SUC209-27 SUC209-28	STB209	2.79
SUCTB210 SUCTB210-29 SUCTB210-30 SUCTB210-31 SUCTB210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	140	101.6	51	14	117.5	22	5/8-11	19.0	51.6	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	STB210	3.18


不锈钢带座轴承
Stainless steel bearing with seat

SUCFK200




带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)														轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	h	e	j	i	g	l	s	b	f	z	Bl	n				
	in	mm																	
SUCFK201 SUCFK201-8 SUCFK202 SUCFK202-9 SUCFK202-10 SUCFK203 SUCFK203-11	1/2 15 9/16 5/8 17 11/16	12 15 17 	 110 	 42 	 32 	 27 	 15 	 13 	 25.5 	 10 	 62 	 52 	 33.3 	 31 	 12.7 	SUC201 SUC201-8 SUC202 SUC202-9 SUC202-10 SUC203 SUC203-11	SFK203	0.53	
SUCFK204 SUCFK204-12	 3/4	20 	110 	42 	32 	27 	15 	13 	25.5 	10 	62 	52 	33.3 	31 	12.7 	SUC204 SUC204-12	SFK204	0.51	
SUCFK205 SUCFK205-13 SUCFK205-14 SUCFK205-15 SUCFK205-16	 13/16 7/8 15/16 1	25 	 116 	 45 	 34 	 27 	 16 	 13 	 27 	 10 	 68 	 56 	 35.7 	 34 	 14.3 	SUC205 SUC205-13 SUC205-14 SUC205-15 SUC205-16	SFK205	0.6	
SUCFK206 SUCFK206-17 SUCFK206-18 SUCFK206-19 SUCFK206-20	 1-1/16 1-1/8 1-3/16 1-1/4	30 	 130 	 50 	 40 	 29 	 18 	 13 	 31 	 10 	 78 	 65 	 40.2 	 38.1 	 15.9 	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SFK206	0.67	
SUCFK207 SUCFK207-20 SUCFK207-21 SUCFK207-22 SUCFK207-23	 1-1/4 1-5/16 1-3/8 1-7/16	35 	 144 	 55 	 46 	 32 	 19 	 15 	 34 	 10 	 90 	 70 	 44.4 	 42.9 	 17.5 	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SFK207	0.81	
SUCFK208 SUCFK208-24 SUCFK208-25	 1-1/2 1-9/16	40 	164 	60 	50 	41 	21 	16 	36 	12 	100 	78 	51.2 	49.2 	19 	SUC208 SUC208-24 SUC208-25	SFK208	0.75	
SUCFK209 SUCFK209-26 SUCFK209-27 SUCFK209-28	 1-5/8 1-11/16 1-3/4	45 	 174 	 65 	 54 	 43 	 22 	 18 	 38 	 12 	 106 	 80 	 52.2 	 49.2 	 19 	SUC209 SUC209-26 SUC209-27 SUC209-28	SFK209	1.5	
SUCFK210 SUCFK210-29 SUCFK210-30 SUCFK210-31 SUCFK210-32	 1-13/16 1-7/8 1-15/16 2	50 	 184 	 68 	 58 	 46 	 22 	 18 	 40 	 12 	 112 	 86 	 54.6 	 51.6 	 19 	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SFK210	1.7	

SUCFB200




带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)													轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	h	e	j	l	g	l	s	b	f	z	Bl	n			
	in	mm																
SUCFB201		12														SUC201		
SUCFB201-8	1/2															SUC201-8		
SUCFB202		15														SUC202		
SUCFB202-9	9/16		108	43.3	38.1	22	15.9	8	25.4	10	63.5	60.3	34.1	31	12.7	SUC202-9	SFB203	0.71
SUCFB202-10	5/8															SUC202-10		
SUCFB203		17														SUC203		
SUCFB203-11	11/16															SUC203-11		
SUCFB204		20	108	43.3	38.1	22	15.9	8	25.4	10	63.5	60.3	34.1	31	12.7	SUC204	SFB204	0.69
SUCFB204-12	3/4															SUC204-12		
SUCFB205		25														SUC205		
SUCFB205-13	13/16															SUC205-13		
SUCFB205-14	7/8		121	46	41.3	28.5	16.7	9.5	28.5	10	70	63.5	36.5	34	14.3	SUC205-14	SFB205	0.87
SUCFB205-15	15/16															SUC205-15		
SUCFB205-16	1															SUC205-16		
SUCFB206		30														SUC206		
SUCFB206-17	1-1/16															SUC206-17		
SUCFB206-18	1-1/8		137	52.4	47.6	31.7	18.6	9.5	32	10	83	70	40.9	38.1	15.9	SUC206-18	SFB206	1.11
SUCFB206-19	1-3/16															SUC206-19		
SUCFB206-20	1-1/4															SUC206-20		
SUCFB207		35														SUC207		
SUCFB207-20	1-1/4															SUC207-20		
SUCFB207-21	1-5/16		156	60.3	50.8	31.7	21	12.7	36.5	13	95	83	46.4	42.9	17.5	SUC207-21	SFB207	1.27
SUCFB207-22	1-3/8															SUC207-22		
SUCFB207-23	1-7/16															SUC207-23		
SUCFB208		40														SUC208		
SUCFB208-24	1-1/2		164	60.3	50	41.3	21	15.9	35.7	12	100	78	51.2	49.2	19	SUC208-24	SFB208	1.54
SUCFB208-25	1-9/16															SUC208-25		
SUCFB209		45														SUC209		
SUCFB209-26	1-5/8		174	65	54	42.9	21.8	18.3	38	12	106	80	51.2	49.2	19	SUC209-26	SFB209	2.36
SUCFB209-27	1-11/16															SUC209-27		
SUCFB209-28	1-3/4															SUC209-28		
SUCFB210		50														SUC210		
SUCFB210-29	1-13/16															SUC210-29		
SUCFB210-30	1-7/8		190	74.6	70	41.3	21.8	12.7	38	13	118	102	53.6	51.6	19	SUC210-30	SFB210	2.38
SUCFB210-31	1-15/16															SUC210-31		
SUCFB210-32	2															SUC210-32		

SUCFC200




带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)											轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	P	e	l	f	N	g	j	k	E	S			
	in	mm														
SUCFC201		12												SUC201		
SUCFC201-8	1/2	15	100	78	55.1	10	62	12	20.5	5	7	28.3	12.7	SUC201-8	SFC203	1.00
SUCFC202		17												SUC202		
SUCFC202-10	5/8	17												SUC202-10		
SUCFC203		20												SUC203		
SUCFC203-11	11/16	20												SUC203-11		
SUCFC204		25												SUC204		
SUCFC204-12	3/4	25	100	78	55.1	10	62	12	20.5	5	7	28.3	12.7	SUC204-12	SFC204	0.96
SUCFC205		30												SUC205		
SUCFC205-14	7/8	30	115	90	63.6	10	70	12	21	6	7	29.8	14.3	SUC205-14	SFC205	1.24
SUCFC205-15	15/16	30												SUC205-15		
SUCFC205-16	1	30												SUC205-16		
SUCFC206		35												SUC206		
SUCFC206-17	1-1/16	35	125	100	70.7	10	80	12	23	8	8	32.2	15.9	SUC206-17	SFC206	1.66
SUCFC206-18	1-1/8	35												SUC206-18		
SUCFC206-19	1-3/16	35												SUC206-19		
SUCFC206-20	1-1/4	35												SUC206-20		
SUCFC207		40												SUC207		
SUCFC207-20	1-1/4	40	135	110	77.8	11	90	14	26	8	9	36.4	17.5	SUC207-20	SFC207	2.11
SUCFC207-21	1-5/16	40												SUC207-21		
SUCFC207-22	1-3/8	40												SUC207-22		
SUCFC207-23	1-7/16	40												SUC207-23		
SUCFC208		45												SUC208		
SUCFC208-24	1-1/2	45	145	120	84.8	11	100	14	26	10	9	41.2	19.0	SUC208-24	SFC208	2.48
SUCFC208-25	1-9/16	45												SUC208-25		
SUCFC209		50												SUC209		
SUCFC209-26	1-5/8	50	160	132	93.3	10	105	16	26	12	14	40.2	19.0	SUC209-26	SFC209	3.35
SUCFC209-27	1-11/16	50												SUC209-27		
SUCFC209-28	1-3/4	50												SUC209-28		
SUCFC210		55												SUC210		
SUCFC210-29	1-13/16	55	165	138	97.6	10	110	16	28	12	14	42.6	19.0	SUC210-29	SFC210	3.58
SUCFC210-30	1-7/8	55												SUC210-30		
SUCFC210-31	1-15/16	55												SUC210-31		
SUCFC210-32	2	55												SUC210-32		
SUCFC211		60												SUC211		
SUCFC211-32	2	60	185	150	106.1	13	125	19	31	12	15	46.4	22.2	SUC211-32	SFC211	5.07
SUCFC211-33	2-1/16	60												SUC211-33		
SUCFC211-34	2-1/8	60												SUC211-34		
SUCFC211-35	2-3/16	60												SUC211-35		
SUCFC212		65												SUC212		
SUCFC212-36	2-1/4	65	195	160	113.1	17	135	19	36	12	15	56.7	25.4	SUC212-36	SFC212	5.97
SUCFC212-37	2-5/16	65												SUC212-37		
SUCFC212-38	2-3/8	65												SUC212-38		
SUCFC212-39	2-7/16	65												SUC212-39		
SUCFC213		70												SUC213		
SUCFC213-40	2-1/2	70	205	170	120.2	16	145	19	36	14	15	55.7	25.4	SUC213-40	SFC213	6.50
SUCFC213-41	2-9/16	70												SUC213-41		
SUCFC214		75												SUC214		
SUCFC214-42	2-5/8	75	215	177	125.1	17	150	19	40	14	18	61.4	30.2	SUC214-42	SFC214	7.86
SUCFC214-43	2-11/16	75												SUC214-43		
SUCFC214-44	2-3/4	75												SUC214-44		
SUCFC215		80												SUC215		
SUCFC215-45	2-13/16	80	220	184	130.1	18	160	19	40	16	18	62.5	33.3	SUC215-45	SFC215	8.59
SUCFC215-46	2-7/8	80												SUC215-46		
SUCFC215-47	2-15/16	80												SUC215-47		
SUCFC215-48	3	80												SUC215-48		
SUCFC216		85												SUC216		
SUCFC216-50	3-1/8	85	240	200	141.4	18	170	23	42	16	18	67.3	33.3	SUC216-50	SFC216	10.52
SUCFC217		90												SUC217		
SUCFC217-52	3-1/4	90	250	208	147.1	18	180	23	45	18	20	69.6	34.1	SUC217-52	SFC217	12.46
SUCFC218		95												SUC218		
SUCFC218-56	3-1/2	95	265	220	155.5	22	190	23	50	18	20	78.3	39.7	SUC218-56	SFC218	14.83

SUCT200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)														轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)																		
	d		w	h	g	b	N	q	o	a	e	p	j	k	L	B				S																	
	in	mm																																			
SUCT201 SUCT201-8 SUCT202 SUCT202-10 SUCT203 SUCT203-11	1/2 5/8 1 1/16	12 15 17	94	61	10	51	19	32	16	89	76	51	32	12	21	31.0	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	ST203	0.93																	
SUCT204 SUCT204-12 SUCT205 SUCT205-14 SUCT205-15 SUCT205-16	3/4 7/8 1 5/16 1	20 25																97			62	10	51	19	32	16	89	76	51	32	12	24	34.1	14.3	SUC204 SUC204-12 SUC205 SUC205-14 SUC205-15 SUC205-16	ST205	0.99
SUCT206 SUCT206-17 SUCT206-18 SUCT206-19 SUCT206-20	1 1/16 1-1/8 1-3/16 1-1/4	30																																	113		
SUCT207 SUCT207-20 SUCT207-21 SUCT207-22 SUCT207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	129	78	13	64	22	37	16	102	89	64	37	12	30	42.9	17.5		SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	ST207																	
SUCT208 SUCT208-24 SUCT208-25	1-1/2 1-9/16	40																144	88		16	83	29	49	19	114	102	83	49	16	33	49.2	19.0	SUC208 SUC208-24 SUC208-25		ST208	2.68
SUCT209 SUCT209-26 SUCT209-27 SUCT209-28	1-5/8 1-11/16 1-3/4	45																																144	87		
SUCT210 SUCT210-29 SUCT210-30 SUCT210-31 SUCT210-32	1-13/16 1-7/8 1-15/16 2	50	149	90	16	86	29	49	19	117	102	83	49	16	37	51.6	19.0			SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32																	
SUCT211 SUCT211-32 SUCT211-33 SUCT211-34 SUCT211-35	2 2-1/16 2-1/8 2-3/16	55																171	106	19	95	35	64	25	146	130	102	64	22	38	55.6	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35			ST211	4.52
SUCT212 SUCT212-36 SUCT212-37 SUCT212-38 SUCT212-39	2-1/4 2-5/16 2-3/8 2-7/16	60																															194	119	19		
SUCT213 SUCT213-40 SUCT213-41	2-1/2 2-9/16	65	224	137	21	121	41	70	32	167	151	111	70	26	44	65.1	25.4																				
SUCT214 SUCT214-42 SUCT214-43 SUCT214-44	2-5/8 2-11/16 2-3/4	70																224	137	21	121	41	70	32	167	151	111	70	26	46	74.6	30.2				SUC214 SUC214-42 SUC214-43 SUC214-44	ST214
SUCT215 SUCT215-45 SUCT215-46 SUCT215-47 SUCT215-48	2-13/16 2-7/8 2-15/16 3	75																															232	140	21	121	
SUCT216 SUCT216-50	3-1/8	80	235	140	21	121	41	70	32	184	165	111	70	26	51	82.6	33.3																				
SUCT217 SUCT217-52	3-1/4	85																260	162	29	157	48	73	38	198	173	124	73	30	54	85.7	34.1					SUC217 SUCT217-52
SUCT218 SUCT218-56	3-1/2	90																															275	170	30	140	48


SUCHA200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)									轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	D	w	h	c	j	N	B	S			
	in	mm												
SUCHA201 SUCHA201-8 SUCHA202 SUCHA202-10 SUCHA203 SUCHA203-11	1/2 5/8 11/16	12 15 17	64	40	96	64	0	19	PF3/4	31.0	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SHA203	0.74
SUCHA204 SUCHA204-12	3/4	20	64	40	96	64	0	19	PF3/4	31.0	12.7	SUC204 SUC204-12	SHA204	0.69
SUCHA205 SUCHA205-14 SUCHA205-15 SUCHA205-16	7/8 15/16 1	25	78	40	103	64	0	19	PF3/4	34.1	14.3	SUC205 SUC205-14 SUC205-15 SUC205-16	SHA205	1.00
SUCHA206 SUCHA206-17 SUCHA206-18 SUCHA206-19 SUCHA206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	78	40	103	64	0	19	PF3/4	38.1	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SHA206	1.00
SUCHA207 SUCHA207-20 SUCHA207-21 SUCHA207-22 SUCHA207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	92	40	116	70	0	19	PF3/4	42.9	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SHA207	1.38
SUCHA208 SUCHA208-24 SUCHA208-25	1-1/2 1-9/16	40	96	40	121	73	2.0	19	PF3/4	49.2	19.0	SUC208 SUC208-24 SUC208-25	SHA208	1.64
SUCHA209 SUCHA209-26 SUCHA209-27 SUCHA209-28	1-5/8 1-11/16 1-3/4	45	108	48	136	82	5.0	21	PF1	49.2	19.0	SUC209 SUC209-26 SUC209-27 SUC209-28	SHA209	2.08
SUCHA210 SUCHA210-29 SUCHA210-30 SUCHA210-31 SUCHA210-32	1-13/16 1-7/8 1-15/16 2	50	118	48	142	83	5.0	21	PF1	51.6	19.0	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SHA210	2.61
SUCHA211 SUCHA211-32 SUCHA211-33 SUCHA211-34 SUCHA211-35	2 2-1/16 2-1/8 2-3/16	55	126	60	150	87	7.0	25	PF1-1/4	55.6	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SHA211	2.94
SUCHA212 SUCHA212-36 SUCHA212-37 SUCHA212-38 SUCHA212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	142	60	173	102	9.0	28	PF1-1/4	65.1	25.4	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SHA212	4.40
SUCHA213 SUCHA213-40 SUCHA213-41	2-1/2 2-9/16	65	166	70	200	117	9.5	32	PF1-1/2	65.1	25.4	SUC213 SUC213-40 SUC213-41	SHA213	6.61

不锈钢带座轴承
Stainless steel bearing with seat


SUCFA200




带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)												轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	g	L	b	f	N	N1	N2	E	S			
	in	mm															
SUCFA201 SUCFA201-8 SUCFA202 SUCFA202-10 SUCFA203 SUCFA203-11	1/2 5/8 11/16	12 15 17	98	78	15	12	25.5	60	50	10	10	40	33.3	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SFA203	0.48
SUCFA204 SUCFA204-12	3/4	20	98	78	15	12	25.5	60	50	10	10	40	33.3	12.7	SUC204 SUC204-12	SFA204	0.48
SUCFA205 SUCFA205-14 SUCFA205-15 SUCFA205-16	7/8 15/16 1	25	125	99	16	13	27	70	65	13	13	51	35.8	14.3	SUC205 SUC205-14 SUC205-15 SUC205-16	SFA205	0.64
SUCFA206 SUCFA206-17 SUCFA206-18 SUCFA206-19 SUCFA206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	144	117	18	14	31	83	72	13	13	58	40.2	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SFA206	0.92
SUCFA207 SUCFA207-20 SUCFA207-21 SUCFA207-22 SUCFA207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	161	130	19	16	34	96	82	15	15	66	44.4	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SFA207	1.27
SUCFA208 SUCFA208-24 SUCFA208-25	1-1/2 1-9/16	40	175	144	21	16	38	105	87	15	15	71	51.2	19.0	SUC208 SUC208-24 SUC208-25	SFA208	1.62
SUCFA209 SUCFA209-26 SUCFA209-27 SUCFA209-28	1-5/8 1-11/16 1-3/4	45	181	148	22	18	40	111	90	17	17	72	52.2	19.0	SUC209 SUC209-26 SUC209-27 SUC209-28	SFA209	1.84
SUCFA210 SUCFA210-29 SUCFA210-30 SUCFA210-31 SUCFA210-32	1-13/16 1-7/8 1-15/16 2	50	190	157	22	18	40	116	94	17	17	76	54.6	19.0	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SFA210	2.10
SUCFA211 SUCFA211-32 SUCFA211-33 SUCFA211-34 SUCFA211-35	2 2-1/16 2-1/8 2-3/16	55	219	184	25	20	44	133	104	17	17	86	58.4	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SFA211	2.16

不锈钢带座轴承
Stainless steel bearing with seat

SSBLF200




SSBLFL0




带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	g	l	s	b	n	z	Bi			
	in	mm													
SSBLF201		12											SSB201		
SSBLF201-8	1/2												SSB201-8		
SSBLF202		15											SSB202		
SSBLF202-9	9/16		81	63.5	9.5	9.5	18	8	56	6	25.5	22	SSB202-9	SLF203	0.31
SSBLF202-10	5/8												SSB202-10		
SSBLF203		17											SSB203		
SSBLF203-11	11/16												SSB203-11		
SSBLF204		20											SSB204		
SSBLF204-12	3/4		90.5	71.5	11	11	20	10	63	7	29	25	SSB204-12	SLF204	0.4
SSBLF205		25											SSB205		
SSBLF205-14	7/8		95	76	11	11	20	10	65	7.5	30.5	27	SSB205-14	SLF205	0.48
SSBLF205-15	15/16												SSB205-15		
SSBLF205-16	1												SSB205-16		
SSBLF206		30											SSB206		
SSBLF206-18	1-1/8		113	90.5	12	12	22.5	12	79	8	34	30	SSB206-18	SLF206	0.60
SSBLF206-19	1-3/16												SSB206-19		
SSBLF206-20	1-1/4												SSB206-20		
SSBLF207		35											SSB207		
SSBLF207-20	1-1/4		122	100	13	13	24	12	89	8.5	36.5	32	SSB207-20	SLF207	0.90
SSBLF207-22	1-3/8												SSB207-22		
SSBLF207-23	1-7/16												SSB207-23		

带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	g	l	s	b	n	z	Bi			
	in	mm													
SSBLFL1 SSBLFL1-8 SSBLFL2	1/2	12 15	81	63.5	9.5	9.5	18	8	56	6	25.5	22	SSB201 SSB201-8 SSB202	SLF203	0.31
SSBLFL2-9 SSBLFL2-10 SSBLFL3	9/16 5/8	17											SSB202-9 SSB202-10 SSB203		
SSBLFL3-11	11/16												SSB203-11		
SSBLFL4 SSBLFL4-12	3/4	20	90	71.5	11	11	20	10	63	7	29	25	SSB204 SSB204-12	SLF204	0.40
SSBLFL5 SSBLFL5-14 SSBLFL5-15 SSBLFL5-16	7/8 15/16 1	25	95	76	11	11	20	10	65	7.5	30	27	SSB205 SSB205-14 SSB205-15 SSB205-16	SLF205	0.48
SSBLFL6 SSBLFL6-18 SSBLFL6-19 SSBLFL6-20	1-1/8 1-3/16 1-1/4	30	113	90.5	12	12	22.5	12	79	8	34	30	SSB206 SSB206-18 SSB206-19 SSB206-20	SLF206	0.60
SSBLFL7 SSBLFL7-20 SSBLFL7-22 SSBLFL7-23	1-1/4 1-3/8 1-7/16	35	122	100	13	13	24	12	89	8.5	36.5	32	SSB207 SSB207-20 SSB207-22 SSB207-23	SLF207	0.90

SSBFD200




SSBFX200




带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	L	S	g	b	n	z	Bi			
	in	mm													
SSBFX201 SSBFX201-8 SSBFX202 SSBFX202-9 SSBFX202-10 SSBFX203 SSBFX203-11	1/2 9/16 5/8 11/16	12 15 17	81	63.5	9.5	18	8	9.5	56	6	25.5	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SFX203	0.31
SSBFX204 SSBFX204-12	3/4	20	90	71.5	11	20	10	11	61	7	29	25	SSB204 SSB204-12	SFX204	0.4
SSBFX205 SSBFX205-13 SSBFX205-14 SSBFX205-15 SSBFX205-16	13/16 7/8 15/16 1	25	95	76	11	20	10	11	64	7.5	30.5	27	SSB205 SSB205-13 SSB205-14 SSB205-15 SSB205-16	SFX205	0.48
SSBFX206 SSBFX206-17 SSBFX206-18 SSBFX206-19 SSBFX206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	113	90.5	12	22.5	12	12	76	8	34	30	SSB206 SSB206-17 SSB206-18 SSB206-19 SSB206-20	SFX206	0.60
SSBFX207 SSBFX207-20 SSBFX207-21 SSBFX207-22 SSBFX207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	122	100	13	24	12	13	89	8.5	36.5	32	SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	SFX207	0.90

带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)										轴承 Bearing No.	轴 承 座 Housing No.	重量 Weight (kg)
	d		a	e	i	L	S	b	n	z	BI				
	in	mm													
SSBFX201 SSBFX201-8 SSBFX202 SSBFX202-9 SSBFX202-10 SSBFX203 SSBFX203-11	1/2 9/16 5/8 11/16	12 15 17	81	63.5	8.5	15	7	58.7	6	24.5	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SFX203	0.3	
SSBFX204 SSBFX204-12	3/4	20	90.5	71.4	9.5	17	9	66.5	7	27.5	25	SSB204 SSB204-12	SFX204	0.39	
SSBFX205 SSBFX205-13 SSBFX205-14 SSBFX205-15 SSBFX205-16	13/16 7/8 15/16 1	25	97	76.2	9.5	17.5	9	71	7.5	29	27	SSB205 SSB205-13 SSB205-14 SSB205-15 SSB205-16	SFX205	0.51	
SSBFX206 SSBFX206-17 SSBFX206-18 SSBFX206-19 SSBFX206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	112.5	90.5	11.5	20.5	11.5	84	8	33.5	30	SSB206 SSB206-17 SSB206-18 SSB206-19 SSB206-20	SFX206	0.80	
SSBFX207 SSBFX207-20 SSBFX207-21 SSBFX207-22 SSBFX207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	126	100	12.5	22	11.5	94	8.5	36	32	SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	SFX207	1.07	
SSBFX208 SSBFX208-24 SSBFX208-25	1-1/2 1-9/16	40	148	119	14.5	25	13.5	104	9	39.5	34	SSB208 SSB208-24 SSB208-25	SFX208	1.53	

SSBPP200




SSBPFL200




带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)									轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		h	a	e	b	s	t	w	n	Bi			
	in	mm												
SSBPP201 SSBPP201-8 SSBPP202 SSBPP202-9 SSBPP202-10 SSBPP203 SSBPP203-11	1/2 9/16 5/8 11/16	12 15 17	22.2	86	68	25	9.5	3.2	44	6	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	PP203	0.16
SSBPP204 SSBPP204-12	3/4	20	25.4	98	76	32	9.5	3.2	50	7	25	SSB204 SSB204-12	PP204	0.21
SSBPP205 SSBPP205-13 SSBPP205-14 SSBPP205-15 SSBPP205-16	13/16 7/8 15/16 1	25	28.6	108	86	32	11.5	4	56	7.5	27	SSB205 SSB205-13 SSB205-14 SSB205-15 SSB205-16	PP205	0.29
SSBPP206 SSBPP206-17 SSBPP206-18 SSBPP206-19 SSBPP206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	33.3	117	95	38	11.5	4	66	8	30	SSB206 SSB206-17 SSB206-18 SSB206-19 SSB206-20	PP206	0.45
SSBPP207 SSBPP207-20 SSBPP207-21 SSBPP207-22 SSBPP207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	39.7	129	106	42	11.5	4.6	78	8.5	32	SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	PP207	0.61

带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)								轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	b	t	s	n	Bi			
	in	mm											
SSBPFL201 SSBPFL201-8 SSBPFL202 SSBPFL202-9 SSBPFL202-10 SSBPFL203 SSBPFL203-11	1/2 9/16 5/8 11/16	12 15 17	81	63	14	59	2	7	6	22	SBB201 SBB201-8 SBB202 SBB202-9 SBB202-10 SBB203 SBB203-11	SPFL203	0.19
SSBPFL204 SSBPFL204-12	3/4	20	90	71	16	67	2	9	7	25	SBB204 SBB204-12	SPFL204	0.24
SSBPFL205 SSBPFL205-14 SSBPFL205-15 SSBPFL205-16	7/8 15/16 1	25	95	76	18	71	2	9	7.5	27	SBB205 SBB205-14 SBB205-15 SBB205-16	SPFL205	0.28
SSBPFL206 SSBPFL206-18 SSBPFL206-19 SSBPFL206-20	1-1/8 1-3/16 1-1/4	30	113	90	18	84	2.6	11	8	30	SBB206 SBB206-18 SBB206-19 SBB206-20	SPFL206	0.38
SSBPFL207 SSBPFL207-20 SSBPFL207-21 SSBPFL207-22 SSBPFL207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	122	100	20	94	2.6	11	8.5	32	SBB207 SBB207-20 SBB207-21 SBB207-22 SBB207-23	SPFL207	0.65

SSBPF200




SSBPFT200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)							轴承 Bearing No.	轴 承 座 Housing No.	重量 Weight (kg)
	d		a	e	M	t	s	n	Bi			
	in	mm										
SSBPF201 SSBPF201-8 SSBPF202 SSBPF202-9 SSBPF202-10 SSBPF203 SSBPF203-11	1/2 9/16 5/8 11/16	12 15 17	81	64	7	4	7	6	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SPF203	0.2
SSBPF204 SSBPF204-12	3/4	20	90	71	8	4	9	7	25	SSB204 SSB204-12	SPF204	0.25
SSBPF205 SSBPF205-14 SSBPF205-15 SSBPF205-16	7/8 15/16 1	25	95	76	9	4	9	7.5	27	SSB205 SSB205-14 SSB205-15 SSB205-16	SPF205	0.35
SSBPF206 SSBPF206-18 SSBPF206-19 SSBPF206-20	1-1/8 1-3/16 1-1/4	30	113	90	9	5.2	11	8	30	SSB206 SSB206-18 SSB206-19 SSB206-20	SPF206	0.54
SSBPF207 SSBPF207-20 SSBPF207-22 SSBPF207-23	1-1/4 1-3/8 1-7/16	35	122	100	10	5.2	11	8.5	32	SSB207 SSB207-20 SSB207-22 SSB207-23	SPF207	0.71

带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)								轴承 Bearing No.	轴 承 座 Housing No.	重量 Weight (kg)
	d		a	e	M	t	W	s	n	Bi			
	in	mm											
SSBPFT201 SSBPFT201-8 SSBPFT202 SSBPFT202-9 SSBPFT202-10 SSBPFT203 SSBPFT203-11	1/2 9/16 5/8 11/16	12 15 17	81	64	7	4	29	7	6	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SPFT203	0.2
SSBPFT204 SSBPFT204-12	3/4	20	90	71	8	4	33	9	7	25	SSB204 SSB204-12	SPFT204	0.25
SSBPFT205 SSBPFT205-14 SSBPFT205-15 SSBPFT205-16	7/8 15/16 1	25	95	76	9	4	35	9	7.5	27	SSB205 SSB205-14 SSB205-15 SSB205-16	SPFT205	0.35
SSBPFT206 SSBPFT206-18 SSBPFT206-19 SSBPFT206-20	1-1/8 1-3/16 1-1/4	30	113	90	9	5.2	38	11	8	30	SSB206 SSB206-18 SSB206-19 SSB206-20	SPFT206	0.54
SSBPFT207 SSBPFT207-20 SSBPFT207-22 SSBPFT207-23	1-1/4 1-3/8 1-7/16	35	122	100	10	5.2	45	11	8.5	32	SSB207 SSB207-20 SSB207-22 SSB207-23	SPFT207	0.71


SSBPFT200



带座轴承型号 Bearing Unit No.	轴径 Bore Dia		外形尺寸 (毫米) Dimensions (mm)								轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	d		a	e	i	t	W	s	n	Bi			
	in	mm											
SSBPFT201 SSBPFT201-8 SSBPFT202 SSBPFT202-9 SSBPFT202-10 SSBPFT203 SSBPFT203-11	1/2 9/16 5/8 11/16	12 15 17	81	63	14	4	29	7	6	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SPF203	0.2
SSBPFT204 SSBPFT204-12	3/4	20	90	71	17	4	33	9	7	25	SSB204 SSB204-12	SPF204	0.25
SSBPFT205 SSBPFT205-14 SSBPFT205-15 SSBPFT205-16	7/8 15/16 1	25	95	76	18	4	35	9	7.5	27	SSB205 SSB205-14 SSB205-15 SSB205-16	SPF205	0.35
SSBPFT206 SSBPFT206-18 SSBPFT206-19 SSBPFT206-20	1-1/8 1-3/16 1-1/4	30	113	90	19	5	38	11	8	30	SSB206 SSB206-18 SSB206-19 SSB206-20	SPF206	0.54
SSBPFT207 SSBPFT207-20 SSBPFT207-21 SSBPFT207-22 SSBPFT207-23	1-1/4 1-3/8 1-7/16	35	122	100	21	5	44	11	8.5	32	SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	SPF207	0.71
SSBPFT208 SSBPFT208-24 SSBPFT208-25	1-1/2 1-9/16	40	148	119	21	7	50	14	9	34	SSB208 SSB208-24 SSB208-25	SPF208	0.95

KP000

KP000C(E)




带座轴承型号 Bearing Unit No.	轴径 Bore Dia	外形尺寸 (毫米) Dimensions (mm)											螺栓 Bolt Used
	d mm	H	L	J	A	N	H1	H2	B1	S	C1	Zs	
Kp000	10	18	67	53	16	7	6	35	14	4	5.56	33	M6
KP001	12	19	71	56	16	7	6	38	14.5	4	5	33	M6
KP002	15	22	80	63	16	7	7	43	16.5	4.5	4	34	M6
KP003	17	24	85	67	18	7	7	47	17.5	5	5.5	38	M6
KP004	20	28	100	80	20	10	9	55	21	6	7	46	M8
KP005	25	32	112	90	20	10	10	62	22.5	6	6	47	M8
KP006	30	36	132	106	25	13	11	70	24.5	6.5	6	50	M10

轴承 Bearing No.	轴承座 Housing No.	带端盖 轴座代号 Unit No. with covers	不锈钢端盖 Stainless steel cover No.		重量 Weight (g)	
		开式 (闭式) Open(closed)	开式Open	闭式Closed	普通 Normal	带盖 With cover
K000	P000	P000C(E)	000CP10	000CPE	70	78
K001	P001	P001C(E)	001CP12	001CPE	80	89
K002	P002	P002C(E)	002CP15	002CPE	120	130
K003	P003	P003C(E)	003CP17	003CPE	140	154
K004	P004	P004C(E)	004CP20	004CPE	210	230
K005	P005	P005C(E)	005CP25	005CPE	270	291
K006	P006	P006C(E)	006CP30	006CPE	410	436

KFL000

KFL000C(E)




带座轴承型号 Bearing Unit No.	轴径 Bore Dia	外形尺寸 (毫米) Dimensions (mm)												螺栓 Bolt Used
	d	H	J	A1	A2	A	N	L	A0	B1	S	C1	Zs	
	mm													
KFL000	10	60	45	5.5	5.5	11.5	7	36	15.5	14	4	6	22	M6
KFL001	12	63	48	5.5	5.5	11.5	7	38	16	14.5	4	6.5	22	M6
KFL002	15	67	53	6.5	6.5	13	7	42	18.6	16.5	4.5	5	24	M6
KFL003	17	71	56	7	7	14	7	46	19.5	17.5	5	6	26	M6
KFL004	20	90	71	8	8	16	10	55	23	21	6	7.5	31	M8
KFL003	17	71	56	7	7	14	7	46	19.5	17.5	5	6	26	M6
KFL004	20	90	71	8	8	16	10	55	23	21	6	7.5	31	M8
KFL005	25	95	75	8	8	16	10	60	24.5	22.5	6	7	32	M8
KFL006	30	112	85	9	9	18	13	70	27	24.5	6.5	6.5	34	M10

轴承 Bearing No.	轴承座 Housing No.	带端盖 轴座代号 Unit No. with covers	不锈钢端盖 Stainless steel cover No.		重量 Weight (g)	
		开式 (闭式) Open(closed)	开式Open	闭式Closed	普通 Normal	带盖 With cover
K000	FL000	KFL000C(E)	000CP10	000CPE	50	55
K001	FL001	KFL001C(E)	001CP12	001CPE	70	74
K002	FL002	KFL002C(E)	002CP15	002CPE	90	95
K003	FL003	KFL003C(E)	003CP17	003CPE	115	121
K004	FL004	KFL004C(E)	004CP20	004CPE	190	200
K005	FL005	KFL005C(E)	005CP25	005CPE	220	234
K006	FL006	KFL006C(E)	006CP30	006CPE	340	356

UP000

UP000C(E)




带座轴承型号 Bearing Unit No.	轴径 Bore Dia	外形尺寸 (毫米) Dimensions (mm)											螺栓 Bolt Used
	d mm	H	L	J	A	N	H1	H2	B1	S	C1	Zs	
UP08	8	15	55	42	13	4.8	5	29	15	3.5	-	-	M4
UP000	10	18	67	53	16	7	6	35	17.5	4	2	33	M6
UP001	12	19	71	56	16	7	6	38	17.5	4	2	33	M6
UP002	15	22	80	63	16	7	7	43	18.5	4.5	2	34	M6
UP003	17	24	85	67	18	7	7	47	20.5	5	2	38	M6
UP004	20	28	100	80	20	10	9	55	24.5	6	3	46	M8
UP005	25	32	112	90	20	10	10	62	25.5	6	3	47	M8
UP006	30	36	132	106	26	13	11	70	26.5	6.5	4	50	M10

轴承 Bearing No.	轴承座 Housing No.	带端盖 轴座座代号 Unit No. with covers	不锈钢端盖 Stainless steel cover No.		重量 Weight (g)	
		开式 (闭式) Open(closed)	开式Open	闭式Closed	普通 Normal	带盖 With cover
U08	P08	-	-	-	47	-
U000	P000	UP000C(E)	000CP10	000CPE	77	85
U001	P001	UP001C(E)	001CP12	001CPE	91	100
U002	P002	UP002C(E)	002CP15	002CPE	125	135
U003	P003	UP003C(E)	003CP17	003CPE	156	170
U004	P004	UP004C(E)	004CP20	004CPE	230	250
U005	P005	UP005C(E)	005CP25	005CPE	294	315
U006	P006	UP006C(E)	006CP30	006CPE	454	480

UFL000

UFL000C(E)



带座轴承型号 Bearing Unit No.	轴径 Bore Dia	外形尺寸 (毫米) Dimensions (mm)												螺栓 Bolt Used
	d	H	J	A1	A2	A	N	L	A0	B1	S	C1	Zs	
	mm													
UFL08	8	48	37	4.5	4	8.5	4.8	27	16	15	3.5	-	-	M4
UFL000	10	60	45	5.5	5.5	11.5	7	36	19	17.5	4	2	22	M6
UFL001	12	63	48	5.5	5.5	11.5	7	38	19	17.5	4	2	22	M6
UFL002	15	67	53	6.5	6.5	13	7	42	20.5	18.5	4.5	2	24	M6
UFL003	17	71	56	7	7	14	7	46	22.5	20.5	5	2	26	M6
UFL004	20	90	71	8	8	16	10	55	26.5	24.5	6	3	31	M8
UFL005	25	95	75	8	8	16	10	60	27.5	25.5	6	3	32	M8
UFL006	30	112	85	9	9	18	13	70	29	26.5	6.5	4	34	M10
UFL007	35	122	95	10	10	20	13	80	32.5	29.5	7	4	38	M10

轴承 Bearing No.	轴承座 Housing No.	带端盖 轴座座代号 Unit No. with covers	不锈钢端盖 Stainless steel cover No.		重量 Weight (g)	
		开式 (闭式) Open(closed)	开式Open	闭式Closed	普通 Normal	带盖 With cover
U08	FL08	-	-	-	30	-
U000	FL000	UFL000C(E)	000CP10	000CPE	60	65
U001	FL001	UFL001C(E)	001CP12	001CPE	76	80
U002	FL002	UFL002C(E)	002CP15	002CPE	100	105
U003	FL003	UFL003C(E)	003CP17	003CPE	129	135
U004	FL004	UFL004C(E)	004CP20	004CPE	205	215
U005	FL005	UFL005C(E)	005CP25	005CPE	244	255
U006	FL006	UFL006C(E)	006CP30	006CPE	354	370
U007	FL007	UFL007C(E)	007CP35	007CPE	498	520